AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract		Page 1 Of 7	
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Re			No. (If applicable)	
0001	2007MAY24	SEE SCHEDULE				
6. Issued By	Code w56HZV	7. Administered By (If other	er than Item 6)		Code	
U.S. ARMY TACOM LCMC AMSTA-AQ-AHPC RICHARD MISNER (586)574-7147 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL WEAPON SYSTEM: WPN SYS: MM		SCD	PAS	AD	P PT	
EMAIL: RICHARD.MISNER@US.ARMY.MIL 8. Name And Address Of Contractor (No., Stre	et. City. County. State and		9A. Amendme			
o. Name And Address of Contractor (100, 510	et, etg, county, state and		w56HZV-07-Q- 9B. Dated (Sec 2007MAR23 10A. Modifica	-0503 e Item 11)		
Code Facility Code			10B. Dated (See Item 13)			
	THIS ITEM ONLY APPLI	ES TO AMENDMENTS OF	SOLICITATION	NS		
The above numbered solicitation is amend is extended, is not extended. Offers must acknowledge receipt of this ame (a) By completing items 8 and 15, and return offer submitted; or (c) By separate letter or ACKNOWLEDGMENT TO BE RECEIVE SPECIFIED MAY RESULT IN REJECTIO change may be made by telegram or letter, popening hour and date specified. 12. Accounting And Appropriation Data (If received)	endment prior to the hour ning 2 signed copies telegram which includes a D AT THE PLACE DESIG ON OF YOUR OFFER. If provided each telegram or	and date specified in the solio of the amendments: (b) By ac reference to the solicitation a GNATED FOR THE RECEII by virtue of this amendment	citation or as amo knowledging rec and amendment i PT OF OFFERS you desire to cha	ended by one of eipt of this am numbers. FAI PRIOR TO TI nge an offer a	te ndment on each copy of the LURE OF YOUR HE HOUR AND DATE lready submitted, such	
13. THIS		TO MODIFICATIONS OF Coact/Order No. As Described I		EDERS		
A. This Change Order is Issued Pursua The Contract/Order No. In Item 10.	nt To:			hanges Set For	rth In Item 14 Are Made In	
B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T		9	(such as changes	in paying offic	ce, appropriation data, etc.)	
C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:						
D. Other (Specify type of modification a	and authority)					
E. IMPORTANT: Contractor is not, 14. Description Of Amendment/Modification (<u> </u>	this document and return _		copies to the I		
SEE SECOND PAGE FOR DESCRIPTION	3	• • • • • • • • • • • • • • • • • • • •	•			
Except as provided herein, all terms and condi and effect.						
15A. Name And Title Of Signer (Type or print)	16A. Name And Titl	e Of Contracting	g Officer (Type	e or print)	
15B. Contractor/Offeror	15C. Date Signed	16B. United States C	/SIGNED/	Officer)	16C. Date Signed	
(Signature of person authorized to sign) NSN 7540-01-152-8070		30-105-02 (Signature	of Contracting		FORM 30 (REV. 10-83)	
11011 10TU-U1-10#-UU/U		~U-1U-U#		DIMINDAND		

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-Q-0503

MOD/AMD 0001

Page 2 of 7

Name of Offeror or Contractor:

SUPPLEMENTAL INFORMATION

The purpose of amendment 0001 is to extend the closing date from 26 Apr 2007 to: 6 Jun 2007 and to change the packaging requirement, See below;

From: To:

Closing Date
26 Apr 2007
Closing Date
6 Jun 2007

Level of Preservation Level of Preservation

Military Commercial

Level of Packing

B Commercial

All other terms and conditions remain unchanged.

*** END OF NARRATIVE A 0001 ***

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-Q-0503

MOD/AMD 0001

Page 3 **of** 7

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001AA	PRODUCTION QUANTITY	44	EA	\$	\$
	NOUN: HOLDER, CABLE REEL PRON: EH7Y6155EH PRON AMD: 01 AMS CD: 070011				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12466155 DATE: 29-JAN-2007				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS SHEET IN THE TDP UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV7022T608 SW3227 J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 44 0150				
	FOB POINT: Destination				
	SHIP TO: (SW3227) DEF DIST DEPOT RED RIVER RECEIVING BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000				
0001AB	OPTION QUANTITY	44	EA	\$	\$
	NOUN: HOLDER, CABLE REEL				
	Description/Specs./Work Statement TOP DRAWING NR: TDP 12466155 DATE: 29-JAN-2007				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS SHEET IN THE TDP				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-Q-0503

MOD/AMD 0001

Page 4 of 7

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	UNIT PACK: 001 LEVEL PRESERVATION: Commercial LEVEL PACKING: Commercial				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 DEL REL CD QUANTITY DEL DATE 001 44 UNDEFINITIZED				
	FOB POINT: Destination				
	SHIP TO: (Y00000) SHIPPING INSTRUCTIONS FOR CONSIGNEE (SHIP-TO) WILL BE FURNISHED PRIOR TO THE SCHEDULED DELIVERY DATE FOR ITEMS REQUIRED UNDER THIS REQUISITION.				

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-Q-0503

MOD/AMD 0001

Page 5 of 7

Name of Offeror or Contractor:

PACKAGING AND MARKING

Status Regulatory Cite Title Date

1 DELETED 52.211-4514 PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS) NOV/2005
(TACOM) NOV/2005
(TACOM) NOV/2005

(a) The preservation, packing, and marking requirements for this contract/order shall be accomplished in accordance with the performance requirements defined herein. The following Packaging requirements shall apply:

LEVEL OF PRESERVATION: Commercial

LEVEL OF PACKING: Commercial

QUANTITY PER UNIT PACKAGE: 001

- (1) Packaging: Preservation, packaging, packing, unitization and marking furnished by the supplier shall provide protection for a minimum of one year and meet or exceed the following requirements. It also provides for multiple handling, redistribution and shipment by any mode.
- (2) Cleanliness: Items shall be free of dirt and other contaminants which would contribute to the deterioration of the item or which would require cleaning by the customer prior to use. Coatings and preservatives applied to the item for protection are not considered contaminants.
- (3) Preservation: Items susceptible to corrosion or deterioration shall be provided protection by means of preservative coatings, volatile corrosion inhibitors, desiccants, waterproof and/or watervaporproof barriers.
- (4) Cushioning: Items requiring protection from physical and mechanical damage (e.g. fragile, sensitive, material critical) or which could cause physical damage to other items, shall be protected by wrapping, cushioning, pack compartmentalization, or other means to mitigate shock and vibration to prevent damage during handing and shipment.
- (b) Unit Package: A unit package shall be so designed and constructed that it will contain the contents with no damage to the item(s), and with minimal damage to the unit pack during shipment and storage in the shipping container, and will allow subsequent handling. The outermost component of a unit package shall be a container such as a sealed bag, carton or box. Unit packs shall be designed to conserve weight and cube while retaining the protection required and enhancing standardization.
 - (c) Unit Package Quantity: Unless otherwise specified, the unit package quantity shall be one each part, set, assembly, kit, etc.
 - (d) Intermediate Package: Intermediate packaging is required whenever one or more of the following conditions exists:
 - (1) The quantity is over one (1) gross of the same national stock number,
 - (2) Use enhances handling and inventorying,
 - (3) The exterior surfaces of the unit pack is a bag of any type, regardless of size,
 - (4) The unit pack is less than 64 cubic inches,
 - (5) The weight of the unit pack is under five (5) pounds and no dimension is over twelve (12) inches.

Intermediate containers shall be limited to a maximum of 100 unit packs, a net load of 40 pounds, or a maximum volume of 1.5 cubic feet, whichever occurs first.

(e) Packing:

- (1) Unit packages and intermediate packages not meeting the requirements for a shipping container shall be packed in shipping containers. All shipping containers shall be the most cost effective and shall be of minimum cube to contain and protect the items.
- (2) Shipping Containers: The shipping container (including any necessary blocking, bracing, cushioning, or waterproofing) shall comply with the regulations of the carrier used and shall provide safe delivery to the destination at the lowest tariff cost. The shipping container shall be capable of multiple handling, stacking at least ten feet high, and storage under favorable conditions (such as enclosed facilities) for a minimum of one year.
- (f) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-07-Q-0503

MOD/AMD 0001

Page 6 of 7

Name of Offeror or Contractor:

for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40×48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(g) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."
- (4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD)including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

(h) Hazardous Materials (As applicable):

- (1) Hazardous Materials is defined as a substance or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:
 - International Air Transport Association (IATA) Dangerous Goods Regulations
 - International Maritime Dangerous Goods Code (IMDG)
 - Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
 - Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers.
- (4) A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
- (i) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

CONTINUATION SHEET	Reference No. of Document Be	Page 7 of 7	
CONTINUATION SHEET	PHN/SHN W56HZV-07-Q-0503	MOD/AMD 0001	
Name of Offeror or Contractor:			

- (j) Quality Assurance: The contractor is responsible for establishing a quality system. Full consideration to examinations, inspections, and tests will be given to ensure the acceptability of the commercial package.
 - (k) SUPPLEMENTAL INSTRUCTIONS: NONE

[End of Clause]